Application No.: 09/840,257

Atty. Dkt. No: 6512/C1-11 KGL

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the

application:

Listing of Claims:

Claims 1-56 (cancelled)

Claim 57 (currently amended): A capsule comprising 90 to 97% by weight of a

polyvinyl alcohol, 2 to 7% by weight of water, and a setting system comprising 0.01 to

10% by weight of a hydrocolloid or mixtures thereof, and 0,001 to 5% by weight of

cations based on the total weight of the capsule.

Claim 58 (previously presented): The capsule according to claim 57, having at

least one coating thereon.

Claim 59 (previously presented): The capsule according to claim 58 wherein the

at least one coating is made from a substance selected from the group consisting of

cellulose acetate phthalate, polyvinyl acetate phthalate, methacrylic acid gelatins,

hypromellose phthalate, hydroxypropylmethyl cellulose phthalates, hydroxylalkyl methyl

cellulose phthalates and combinations thereof.

Claim 60 (previously presented): The capsule according to claim 57, wherein the

capsule comprises two halves sealed together.

Claim 61 (previously presented): The capsule according to claim 60, that the two

Page 2 of 7

Application No.: 09/840,257 Atty. Dkt. No: 6512/C1-11 KGL

halves are sealed by a liquid fusion process.

Claim 62 (cancelled)

Claim 63 (previously presented): The capsule according to claim 57, wherein the setting system further comprises a sequestering agent selected from the group consisting of ethylenediaminetetraacetic acid, acetic acid, boric acid, citric acid, edetic acid, gluconic acid, lactic acid, phosphoric acid, tartaric acid or saits thereof, methaphosphates, dihydroxyethylglycine, lecithin, beta cyclodextrin and combinations thereof.

Claim 64 (previously presented): The capsule according to claim 63, wherein the amount of the sequestering agent is 0.001 to 5% by weight based on the total weight of the composition.

Claim 65 (previously presented): The capsule according to claim 64, wherein the sequestering agent is selected from the group consisting of ethylenediaminetatraacetic acid, citric acid, their respective salts and combinations thereof.

Claim 66 (cancelled)

Claim 67 (previously presented): The capsule according to claim 57, wherein the hydrocolloids are polysaccharides.

From-INTELLECTUAL PROPERTY 11-09-04 02:17pm

+9733853117

T-765 P.004/007 F-403

Application No.: 09/840,257

Atty. Dkt. No: 6512/C1-11 KGL

Claim 68 (previously presented): The capsule according to claim 67, wherein the

polysaccharides are selected from the group consisting of alginates, agar gum, guar

gum, locust bean gum (carbo), carrageenan, kappa-carrageenan, tara gum, gum

Arabic, ghatti gum, khaya grandifolia gum, tragacanth gum, karaya gum, pectin, Arabian

(araban), xanthan, gellan, starch, konjac mannan, galactomannan, funoran and

combinations thereof.

Claim 69 (previously presented): The capsule according to claim 67, wherein the

polysaccharides are selected from the group consisting of xanthan, acetan, gellan,

welan, rhamsan, furcelleran, succinoglycan, scleroglycan, schizophyllan, tamarind gum,

curdian, pullulan, dextran and combinations thereof.

Claim 70 (previously presented): The capsule according to claim 67, wherein the

polysaccharides are selected from the group consisting of gellan, kapp-carrageenan

and combinations thereof and mixture of locust bean gum or xanthan with konjac

mannan.

Claim 71 (previously presented): The capsule according to claim 57 further

comprising at least one plasticizer in an amount from about 0 to 40% based upon the

weight of the capsule.

Claim 72 (cancelled)

Page 4 of 7

Application No.: 09/840,257

Atty. Dkt. No: 6512/C1-11 KGL

Claim 73 (previously presented): The capsule according to claim 72, wherein the

plasticizer is selected from the group consisting of polyethylene glycol, glycerol, sorbitol,

sucrose, com syrup, fructose, dioctyl-sodium sulfosuccinate, triethyl citrate, tributyl

citrate, 1,2-propylenglycol, mono-, di- and triacetates of glycerol, natural gums and

combinations thereof.

Claim 74 (previously presented): The capsule according to claim 57, further

comprising a coloring agent in an amount from about 0 to 10% based upon the weight

of the capsule.

Claim 75 (previously presented): The capsule according to claim 74, wherein the

coloring agent is selected from the group consisting of azo-, quinophthalone-,

triphenylmethane-, xanthene- or indigoid dyes, iron oxides or hydroxides, titanium

dioxide, natural dyes and combinations thereof.

Claim 76 (previously presented): The capsule according to claim 74, wherein the

coloring agent is selected from the group consisting of patent blue V, acid brilliant green

BS, red 2G, azorubine, ponceau 4R, amaranth, D+C red 33, D+C yellow 10, yellow 2 G,

FD+C yellow 5, FD+C yellow 6, FD+C red 3, FD+C red 40, FD+C blue 1, FD+C blue 2,

FD+C green 3, brilliant black BN, and combinations thereof.

Claim 77 (previously presented): The capsule according to claim 74, wherein the

coloring agent is selected from the group consisting of carbon black, Iron oxide black,

Page 5 of 7

Atty. Dkt. No: 6512/C1-11 KGL

iron oxide red, iron oxide yellow, titanium dioxide, riboflavin, carotenes, anthocyanines,

turmeric, cochineal extract, cloraphyllin, canthaxanthin, caramel, betanin, and

combinations thereof.

Claim 78 (previously presented): The capsule according to claim 57, wherein the

capsule is a hard capsule.

Claim 79 (previously presented): The capsule according to claim 57 wherein the

capsule is a soft capsule.

Claim 80 (previously presented): A method of manufacturing a capsule

comprising a) forming an aqueous solution comprising 10 to 60% by weight of polyvinyl

alcohol, 0.10 to 5% by weight of hydrocolloids and 0.001 to 3% by weight of cations and

b) dip molding the aqueous solution to form said capsule.

Claim 81 (previously presented): A hard capsule comprising 90 to 97% by

weight of polyvinyl alcohol, 2 to 7% by weight of water, 0.01 to 10% by weight of

hydrocolloids, and 0.001 to 5% by weight of cations based on the total weight of the

capsule.

Page 6 of 7